The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-25129

Stream : Ohio River

Applicant : Randy Sagar

403 Shore Acres Drive Utica, IN 47130-9469

Description : An existing fire-damaged home will be reconstructed. Details of the project are

contained in information and plans received at the Division of Water on January

9, 2009, January 12, 2009 and January 28, 2009.

Location : 403 Shore Acres Drive, along the right bank of the river, southeast of the Shore

Acres Drive and Church Street intersection at Utica, Utica Township, Clark County

Clark Military Grant #7, Jeffersonville, IN-KY Quadrangle

Quad Code: 3808536

UTM Coordinates: Downstream 4243303 North, 617757 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-25144

Stream : School Branch

Applicant : Hendricks County Board of Commissioners

John E Ayers

355 South Washington Street, Suite 209

Danville, IN 46122-0051

Description : The existing bridge carrying County Road 600 North over the stream will be

replaced with a new structure on essentially the same alignment to improve traffic flow. The new structure will be a single-span prestressed concrete I-beam bridge with a span length of 90' and will be skewed 0 degrees. The structure will have a clear roadway width of 68'. Minor channel shaping will occur both downstream and upstream of the new bridge for approximately 30'. The newly shaped banks

will be covered with an 18" layer of riprap over geotextile fabric. The new approach roads will be elevated a maximum of 8.5' above the existing

approaches. The existing structure will be completely removed. Details of the project are contained in information and plans received at the Division of Water

on January 21, 2009.

Location : At the County Road 600 North stream crossing

near Clermont, Brown Township, Hendricks County

SE1/4, SE1/4, SE1/4, Section 6, T 16N, R 2E, Clermont Quadrangle

Quad Code: 3908673

UTM Coordinates: Downstream 4411496 North, 555747 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-25145

Stream : Clyde Creek

Applicant : HNTB Corporation

Thomas J Hutka

111 Monument Circle, #1200 Indianapolis, IN 46204-5100

Description : A stormwater intake structure will be constructed at the terminus of Clyde Creek

to provide stormwater collection located landward of the floodway. A 48" reinforced concrete intake pipe will be buried to a depth of 10' in the floodplain. The 4800' long (mostly 72") pipe will carry stormwater from Clyde Creek to the St.

Joseph River. The pipe will originate with a 48" end section and concrete headwall that will conform to the bank slope. A steel grate will be placed at the end of the pipe and headwall to prevent intruders and debris from entering into the stormwater system. An energy dissipater will be constructed at the base of the end section. The dissipater will consist of rip-rap and geotextile fabric. Details of the project are contained in information received electronically at the Division of Water on January 23, 2009 and in plans and information received at

the Division of Water on

Location : Project is located at the terminus of Clyde Creek, just east of the South

Twyckenham Drive and Clyde Street intersection at South Bend, Portage Township, St. Joseph County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-25146

Stream : Lost River

Applicant : Indiana Natural Gas Corporation

Phil Ross

1080 W Hospital Road

PO Box 450

Paoli, IN 47454-0450

Description : A 3" diameter natural gas line will be placed beneath Lost River to provide natural

gas service to the unincorporated town of Prospect. The line will be placed by the directional boring method. It will have 4' of cover beneath the streambed and 20' to 25' in the banks. Details of the project are contained in information received electronically at the Division of Water on January 23, 2009 and in plans and

information received at the Division of Water on

Location : This directional bore will occur adjacent to and under the Lost River immediately

West of Indiana State Road 56 (IN56) 70' West of the edge of pavement West of the bridge across lost river located roughly adjacent to the intersection of IN56

and W Abbydale Pike in West Baden Springs

This Location is at Lat 38.573181 Lon -86.613625

at West Baden Springs, French Lick Township, Orange County

Section 27, T 2N, R 2W

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-25148

Stream : Unnamed Tributary

Jackson Creek

Applicant : Smith Neubecker & Associates

Steve Brehob

453 South Clarizz Boulevard Bloomington, IN 47407-5355

Description : A 175' long, 8' wide asphalt path will be constructed adjacent to the stream and

parallel to Smith Road. A 12" water main will be installed adjacent to the path; a valve and plug for future extension on the north and south end of the main will also be installed. A section of St. Remy Drive south of the proposed path will be cut and patched to install the 12" water main. Approximately 0.05 acre of land will be disturbed by the project. Details of the project are contained in information

and plans received at the Division of Water on January 22, 2009.

Location : Beginning approximately 2100' south of the Moores Pike and Smith Road

intersection, and extending 400' south and 150' west near Bloomington, Perry Township, Monroe County

NE1/4, NE1/4, SE1/4, Section 11, T 8N, R 1W, Unionville Quadrangle

Quad Code: 3908624

UTM Coordinates: Downstream 4332725 North, 544896 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-25149

Stream : Pipe Creek

Applicant : Martin Brunner

4203 Moorman Road

Batesville, IN 47006-9348

Description : A concrete low water crossing will be constructed across Pipe Creek. The

opening will be approximately 10' long, 1.5' tall above grade, and 12' wide. An overflow channel will also be constructed. The overflow channel will have a bottom width of 5' and will run approximately 200' along the west side of the creek. Details of the project are contained in information and plans received at

the Division of Water on January 22, 2009.

Location : Approximately 5280' west and 3750' north of the Winn Road and Cane Mill Road

intersection

near St. Marys, Butler Township, Franklin County

NW¼, SW¼, SE¼, Section 30, T 11N, R 13E, Spades Quadrangle

Quad Code: 3908531

UTM Coordinates: Downstream 4359726 North, 661714 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-25151

Stream : Tippecanoe River

Applicant : Shawn Richards

213 Hickory Street

Peotone, IL 60468-9823

Description : An existing 32.75' by 24' residence will be elevated with concrete blocks on the

existing foundation. In addition an 18' by 24' or a 336 square foot addition will be

added to the east side of the existing structure. The structure's main floor (habitable living space) will have a finished floor elevation at a minimum of 658.2 feet, NGVD. The concrete block foundation walls will be equipped with twelve (12) vents and an 8' by 6' opening on the south wall to allow for the passage of floodwaters. Details of the project are contained in information and plans received

at the Division of Water on January 9, 2009, January 13, 2009 and January 23, 2009

2009.

Location : 5763 East Bass Center Road; approximately 150' west and 100' north of the

North Evergreen Drive and East Bass Center Road intersection

near Monticello, Liberty Township, White County

SW1/4, SE1/4, SE1/4, Section 16, T 28N, R 3W, Monticello North Quadrangle

Quad Code: 4008677

UTM Coordinates: Downstream 4524254 North, 520186 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 7 01/29/2009 10:21 AM

Application # : PL-21224

Lake : Big Turkey Lake

Applicant : Brian Hansen

420 Lane 136 Big Turkey Lake

Hudson, IN 46747-9759

Description : A new glacial stone seawall will be constructed across 140' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. In addition, a new retaining will consisting of Allen Block AB Eropa macenary blocks will be constructed approximately 6' landward of the lake's legal shoreline. Details of the project are contained in information and plans received at

the Division of Water on January 12, 2009.

Location : 420 Lane 136; Lot 101 of Wildwood Forth Addition

near Stroh, Salem Township, Steuben County

SE14, NW14, SE14, Section 7, T 36N, R 12E, Stroh Quadrangle

Quad Code: 4108552

UTM Coordinates: Downstream 4605858 North, 651311 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-21228

Lake : Upper Fish Lake

Applicant : Edward A Kogut

7715 East State Road 4 Walkerton, IN 46574-9549

Description : A new steel sheet piling seawall will be constructed on Upper Fish Lake to

minimize erosion The wall will run 128' of 165' along the lakeshore then make a 90 degree turn inland along a existing man made channel for 150' of 215' on only one side of the channel wall will have tie backs with a top cap. Details of the project are contained in information received electronically at the Division of Water on January 23, 2009 and in plans and information received at the Division

of Water on

Location : 7715 East State Road 4 and Lot #31 of Arney's Subdivison; Upper Fish Lake,

south end of lake and west 300' of channel that runs between Upper and Lower

Fish Lake

near Furnessville, Lincoln Township, LaPorte County

Section 17, T 36N, R 1W, Location

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-21229

Lake : Loon Lake

Applicant : Richard E Buchanan

7150 North Brown Road

Columbia City, IN 46725-9538

Description : A new underwater beach will be constructed in front of the property of the

applicant on Loon Lake to provide an area suitable for swimming. The beach will consist of a 4" to 6" thick layer of 7/64 inch clean, washed pea gravel placed directly on the lakebed. The beach will begin approximately 5' north of the southern property line and will extend northerly across 20' of the 41.6' frontage. It will have a maximum lakeward projection of 30' or a depth of 6' below the average level of the lake. Details of the project are contained in information

received electronically at the Division of Water on January 26, 2009 and in plans and information received at the Division of Water on January 26, 2009.

Location : 7150 North Brown Road; Lot 5 East side of property line on the lake front-beach

near Columbia City, Etna-Troy Township, Whitley County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-21230

Lake : Big Lake

Applicant : Granville J Whittamore

4878 South Pressler Drive Albion, IN 46701-9477

Description : Request for placement of pea gravel on 1/4 of shoreline to stabilize and reduce

erosion. We have 131' of shoreline - request Gravel permit for 35' of shoreline. Details of the project are contained in information received electronically at the Division of Water on January 26, 2009 and in plans and information received at

the Division of Water on

Location : 4878 South Pressler Drive; North side of Big Lake

near Wolf Lake, Noble Township, Noble County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11